

# Material Safety Data Sheet

## HT Alkali 2010



Revision Date: 08-Jan-08

**24-HOUR EMERGENCY 1-800-255-3924 (U.S.) 001-813-248-0585 (International)**

### SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: HT Alkali 2010  
General Description: Concentrated Inorganic Alkaline Cleaner  
Company Information: PureLabs LLC  
1919 S. Stoughton Rd  
Madison WI 53716  
USA  
1-608-222-3484

### SECTION 2 - COMPOSITION/IDENTITY INFORMATION

Hazardous Ingredients	CAS Number	%
Sodium Hydroxide	1310-73-2	30 - 60

### SECTION 3 - HAZARDS IDENTIFICATION

This product can cause irritation to eyes, skin, upper respiratory tract and mucous membranes. May be fatal if swallowed.

### SECTION 4 - FIRST AID MEASURES

#### If in Eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately.

#### If Swallowed:

Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately.

#### If Breathing Difficulty Occurs:

Move person to fresh air. Contact a physician immediately.

#### If on Skin:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Contact a physician immediately.

# Material Safety Data Sheet

## HT Alkali 2010

### SECTION 5 - FIRE FIGHTING MEASURES

This product is not flammable. Wear self-contained breathing apparatus and protective gear to prevent skin contact with corrosive solutions.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Contain spills and dispose of according to federal and local regulations.

### SECTION 7 - HANDLING AND STORAGE

Handling: Use proper personal protective equipment as indicated in Section 8. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated areas.

Storage: Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

### SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

If exposure limits listed in Section 11 are exceeded, use appropriate personal protective equipment.



Safety Glasses



Gloves



Protective Apron



Boots

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear yellow liquid
Odor:	Mild
Specific Gravity:	1.50
pH (as is):	> 12
Solubility in Water:	Complete at recommended dilutions

Note: The above properties are typical values and are not to be construed as a guaranteed analysis for any specific lot or as specifications for the product.

### SECTION 10 - STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under ordinary conditions of use and storage.
<b>Hazardous Decomposition Products:</b>	None known.
<b>Hazardous Polymerization:</b>	Will not occur.
<b>Incompatibilities:</b>	Increases in temperature and/or pressure when mixed with strong acids, combustible materials, organic materials, or water. Hydrogen gas formation and possible explosion when in contact with zinc, aluminum, peroxides, or halogenated hydrocarbons.
<b>Conditions to avoid:</b>	Product absorbs carbon dioxide from the air. Keep containers sealed and closed.

# Material Safety Data Sheet

## HT Alkali 2010

### SECTION 11 - TOXICOLOGICAL INFORMATION

Chemical Name	OSHA Permissible Exposure Limit (PEL)	ACGIH Threshold Limit Value (TLV)
Sodium Hydroxide	2 mg/m <sup>3</sup>	1 mg/m <sup>3</sup> TWA

### SECTION 12 - ECOLOGICAL INFORMATION

**Ecotoxicity:** This product is expected to be fatal to aquatic life.  
**Environmental fate:** No data available.

### SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with federal, state, and local regulations.

### SECTION 14 - TRANSPORTATION INFORMATION

#### U.S. Department of Transportation (DOT) Classification:

Proper Shipping Name: Corrosive Liquid, Basic, Inorganic NOS (Sodium Hydroxide)  
Hazard Class: 8  
UN Number: 3266  
Packing Group: II

#### Canadian Transportation of Dangerous Goods (TDG) Regulations:

Identical to U.S. DOT above.

#### International Maritime Dangerous Goods (IMDG) Code:

Identical to U.S. DOT above.

#### International Air Transport Association (IATA) Dangerous Goods Regulations:

Identical to U.S. DOT above.

### SECTION 15 - REGULATORY INFORMATION

Hazard Symbol(s): Corrosive  
Risk Phrase(s): R21 Harmful if in contact with skin.  
R22 Harmful if swallowed.  
R34 Causes Burns

## Material Safety Data Sheet

### HT Alkali 2010

#### SECTION 16 - OTHER INFORMATION

Reason for Revision: New Product

Prepared by: PureLabs LLC Chemical Research and Development

Disclaimer: PureLabs LLC believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted. However, the information presented is not to be taken as a warranty or representation for which PureLabs LLC assumes legal responsibility. This data is offered solely for your information in accordance with applicable Federal, State, and Local laws and regulations.